Profec Adaptor bush PE100/brass nickel plated 75 mm x 2 1/2" electrofusion socket x male thread SDR7,4 24VAC 16bar 16bar black DVGW (0302285)



bosta
bringing water to life

TECHNICAL SPECIFICATIONS

Colour	black
Material	PE100/brass
Approval	DVGW
Connection	electrofusion socket x male thread
Voltage	24VAC
Class	SDR7,4
Pressure, gas	16 bar
Pressure, water	16 bar
Size	75 mm x 2 1/2"
WebshopURL	https://www.bosta.com/en-gb/profec-adaptor-bush-pe100-brass-nickel-plated-75-mm-x-2-1-2-electrofusion-socket-x-male-thread-sdr7-4-24vac-16bar-16bar-black-dvgw-0302285
Length	173 mm
Outer ø	99 mm
Spanner	86

PRODUCT INFORMATION

Transition fitting suitable for the connection of PE pipes and fittings with threaded fittings or valves. Complete with 4 mm electrical connector, welding indicator and barcode reader.

Last modified date: 31/10/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life