

**Foras Jet pump cast iron 1 1/2"
x 1" female thread 8bar 5,2A
230/400VAC blue self priming
type JA 300 T (7034800)**



TECHNICAL SPECIFICATIONS

Colour blue

Material cast iron

Pump body cast iron

Material impeller 1 noryl

Model self priming

Connection female thread

Seal type B

Max. temperature 50 °C

Press 1 "

Suction 1 1/2 "

Type JA 300 T

Size 1 1/2" x 1"

Voltage 230/400VAC

Minimum medium temperature 0 °C
(continuous)

Power 2.2 kW

MWC 68,4

Ampere 5,2 A

Max flow rate 8.4 m³/h

Maximum ambient temperature 40 °C

BEP Capacity 7

BEP Head 39

PORlh 34

PORhh 50

PORlq 4.62

PORhq 7.92

Minimum ambient temperature 0 °C

Seal 69 mm

DIMENSIONS

Cb-1 112 mm

Cb-2 240 mm

Cr-1 257 mm

Ct-1 128 mm

H 240 mm

L 596 mm

| | |
|----|--------|
| LB | 309 mm |
|----|--------|

| | |
|----|--------|
| LM | 287 mm |
|----|--------|

| | |
|----|--------|
| MW | 177 mm |
|----|--------|

| | |
|---|--------|
| W | 220 mm |
|---|--------|

PRODUCT INFORMATION

Specifications:

Jet type self-priming electric pumps for suction up to 7-8 metres deep.

Motor sealed auto-ventilated.

Max. pressure: 6 bar

Water temperature: max. 40°C

These pumps are ready for installation by a qualified electrician.

Last modified date: 17/04/2026

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>