


**Blue Lagoon UV-C disinfection
unit 50-63 mm x 1 1/2" glue
socket x female thread 2.5bar
type Tech UV-C 4ALL 75 W
(7038497)**



Blue lagoon
UV-C and Pool equipment

TECHNICAL SPECIFICATIONS

Capacity Qmax	23 m ³ /h
Connection	glue socket x female thread
Pressure	2.5 bar
Type	Tech UV-C 4ALL 75 W
Flow rate	16 30mJ/cm ²
Size	50-63 mm x 1 1/2"
Power	75 W



PRODUCT INFORMATION

The Blue lagoon Tech UV-C 4ALL is a perfect solution for installations where space is limited. It is suitable for both salt-water (electrolysis) pools and chlorinated pools. Next to the highly corrosion resistant DUPLEX stainless steel housing, the Blue Lagoon Tech UV-C 4ALL is designed to provide an environmentally friendly solution for your swimming pool water disinfection needs.

Features:

- DUPLEX housing, suitable for both, salt-water (electrolysis) and chlorinated pools
- A built-in electronic ballast to ensure a smooth power supply
- Up to 35% more UV-C yield as a result of reflection by the DUPLEX interior
- Multiple installation options for easy installation
- Comes with Ø63mm to Ø50mm fittings, and 1½" female threaded inserts

Last modified date: 27/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>