

**Foras Centrifugal pump cast  
iron 1 1/2" x 1 1/4" female  
thread 11bar 9,8A 400/690VAC  
blue type KB 550 T (0920278)**



# TECHNICAL SPECIFICATIONS

Colour blue

Material cast iron

Material impeller 1 noryl

Connection female thread

Voltage 230/400VAC

Minimum medium temperature 0 °C  
(continuous)

Maximum ambient temperature 40 °C

Minimum ambient temperature 0 °C

Type KB 550 T

Output Power 5.5 HP

Max. head 76.9 m

Size 1 1/2" x 1 1/4"

Seal type C

Length 463 mm

Max. temperature 50 °C

Width 266 mm

|                            |                        |
|----------------------------|------------------------|
| Weight                     | 48 kg                  |
| Power                      | 4 kW                   |
| Max flow rate              | 13.5 m <sup>3</sup> /h |
| Press                      | 1 1/4 "                |
| Suction                    | 1 1/2 "                |
| BEP Capacity               | 10.5                   |
| BEP Head                   | 62.4                   |
| Efficiency                 | 42 %                   |
| Packaging dimensions L/W/H | 553 x 274 x 318 mm     |



## DIMENSIONS

|      |         |
|------|---------|
| Cb-1 | 135 mm  |
| Cl-1 | 95.5 mm |
| G-1  | 212 mm  |
| H    | 305 mm  |
| H-1  | 305 mm  |
| L    | 463 mm  |
| Mr   | 145 mm  |
| O    | 14 mm   |

W-1 266 mm

ØDi-1 1 1/2 "

ØDi-2 1 1/4 "



## PRODUCT INFORMATION

Sealed motor protection class F.

Water temperature 90°C.

Supplied without cable.

**Last modified date: 10/07/2026**

Bosta UK Ltd.

Reflection House

Olding Road

Bury St. Edmunds

Suffolk

IP33 3TA

T +44 (0) 1284 716580

E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)

<http://www.bosta.com>