Foras Centrifugal pump cast iron DN65 x 65 mm x DN40 x 40 mm DIN flange 10bar 22.3A 400/690VAC blue type MN40 250 B (0920307)



bosta
bringing water to life

TECHNICAL SPECIFICATIONS


Colour	blue
Material	Cast iron
Material impeller 1	Cast iron
Connection	DIN flange
Max. temperature	90 °C
Minimum medium temperature (continuous)	-10 °C
Maximum ambient temperature	40 °C
Minimum ambient temperature	0 °C
Type	MN40 250 B
Output Power	15 HP
Max. head	73.7 m
Size	DN65 x 65 mm x DN40 x 40 mm
Seal	type H
Length	630 mm
Voltage	400/690VAC
Width	322 mm


Weight	105 kg
Power	11 kW
Height	405 mm
Max flow rate	42 m^3/h
BEP Capacity	31
BEP Head	65
Efficiency	48 %
Press	40
Suction	65
Packaging dimensions L/W/H	666 x 346 x 471 mm


DIMENSIONS

Cb-1	180 mm
Cl-1	100 mm
Ct-1	225 mm
G-1	250 mm
H	405 mm
H	405 mm
L	630 mm

Mc	95 mm
O	14 mm
W-1	320 mm
W-2	322 mm
ØDi-1	65 mm
ØDi-2	40 mm







PRODUCT INFORMATION

The pumps are supplied complete with counter flanges with female thread.
Mechanical seal.
Maximum water temperature 90°C.

Last modified date: 21/08/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds

Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life