

**Profec Ultrasonic water meter  
stainless steel 304 DN125 DIN  
flange 16bar 3.6V Li-battery  
blue CE/MID type Class 2  
(7038813)**



# TECHNICAL SPECIFICATIONS

Colour	blue
Type	Class 2
Material	stainless steel 304
Approval	CE/MID
Connection	DIN flange
Pulse	100 ltr
Max. reading	99999999.99999 m <sup>3</sup> /h
Connectivity	2-wire Mbus output
Length	250 mm
Min. temp.	0.1 °C
Voltage	3.6V Li-battery
Width	250 mm
Pressure	16 bar
IP value	IP68
Max. temp.	50 °C
Material flange	carbon steel
Size	DN125

Q1 ISO 4064 (2005)	0.64 m <sup>3</sup> /h
--------------------	------------------------

Q3 ISO 4064 (2005)	160 m <sup>3</sup> /h
--------------------	-----------------------

Q4 ISO 4064 (2005)	200 m <sup>3</sup> /h
--------------------	-----------------------

## DIMENSIONS

H	380 mm
---	--------

Install. length	250
-----------------	-----

## PRODUCT INFORMATION

Ultrasonic water meter with 10 year lifetime battery, IP68 Class 2, PN16 and CE/MID approval and M-bus output.

**Last modified date: 27/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>