

**Full circle sprinkler brass 3/4"
male thread 4,0 x 2,4 mm type
RC 130 HH (0630105)**



TECHNICAL SPECIFICATIONS

Type RC 130 HH

Material brass

Connection male thread

Nozzle size 4,0 x 2,4 mm

Capacity 3bar 1,49 m³/h

Capacity 4bar 1,71 m³/h

Capacity 5bar 1,85 m³/h

Size 3/4"

Radius 3bar 15 m

Radius 4bar 15,2 m

Radius 5bar 15,8 m

Type RC 130 HH																	
4.0mm			4.0mm			4.0mm			4.0mm x 2.4mm			4.0mm x 2.4mm			4.0mm x 2.4mm		
Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D	Bar	Q	D
2.5	0.95	26.0	2.5	1.15	27.0	2.5	1.40	30.0	2.5	1.35	26.0	2.5	1.51	27.0	2.5	2.05	30.0
3.5	1.15	27.0	3.5	1.38	28.4	3.5	1.67	30.8	3.5	1.60	27.0	3.5	1.80	28.4	3.5	2.40	30.8
4.5	1.30	27.5	4.5	1.55	29.4	4.5	1.87	31.8	4.5	1.76	27.5	4.5	2.03	29.4	4.5	2.75	31.8

PRODUCT INFORMATION

Plastic rotating cap protects spring and makes sprinkler suitable for overhead frost protection.

Last modified date: 24/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>