Pentair Sand filter fibreglass reinforced polyester 1 1/2" female thread 3,5bar blue type Triton® F-19T6-NEO-CP (7021207)



PENTAIR
TRADEGRADE
BY PENTAIR


bosta
bringing water to life

TECHNICAL SPECIFICATIONS

Colour	blue
Material	fibreglass reinforced polyester
Connection	female thread
Pressure	3,5 bar
Max. temp.	50 °C
Type	Triton® F-19T6-NEO-CP
Capacity	8,5 m^3/h
Gravel	25 kg
Size	1 1/2"
WebshopURL	https://www.bosta.com/en-gb/pentair-sand-filter-fibreglass-reinforced-polyester-1-1-2-female-thread-3-5bar-blue-type-triton-f-19t6-neo-cp-7021207
Diameter	480 mm
Weight	11 kg
Sand	50 kg
Filter area	0.17 m^2
Max flow rate	8.5 m^3/h
Max. pool vol.	42.5 m^3

DIMENSIONS

A	878 mm
B	19 " inch
B	480 mm
C	774 mm
D	715 mm



PRODUCT INFORMATION

One-piece, fibreglass-reinforced tank with UV-resistant coating.
With top-mount 6-way valve.
Switch off the pump before each lever action.
Warranty period: Tank 10 years

Last modified date: 01/11/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life