

Rain train plastic red type T-V

(0640084)



TECHNICAL SPECIFICATIONS

| | |
|------------------------|------------------------|
| Colour | red |
| Type | T-V |
| Material | plastic |
| Speed | 10 up to 20 m/h |
| Opening pressure | 4 bar |
| Minimum inlet pressure | 4 bar |
| Travel Width Ø | 35-40 m |
| Travel length | 120 m |
| Capacity 4bar | 2,62 m ³ /h |
| Capacity 5bar | 2,94 m ³ /h |
| Radius 4bar | 17 m |
| Radius 5bar | 18 m |

PRODUCT INFORMATION

Compact travel irrigator for sport fields.
Working pressure: min 3.5 bar at sprinkler.
Waterflow: 3 m³/h.
Sprinkler connection: 1" female.
Inlet connection: 1" female.

Weight: 33 kg.

The travel irrigator is pulled forward by a hydraulic motor, while irrigating.
At the end of the set range, the hydraulic motor will automatically stop and cease irrigating.
The supply hose (25mm) is pulled along by the reel.

Last modified date: 02/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>