

**Profec Water meter brass
nickel plated 3/4" male thread
16bar 0,1A 2m³/h DN20 24VAC
blue CE/MID SD-A type single
jet (0892312)**



TECHNICAL SPECIFICATIONS

Colour blue

Type single jet

Material brass

Surface treatment nickel plated

Approval CE/MID

Model SD-A

Capacity Qmax 4 m³/h

Capacity Qn 2 m³/h

Connection male thread

Min. reading 0.005 m³/h

Max. reading 9.999 m³/h

Length 130 mm

Voltage 24VAC

Width 77 mm

Temperature range 2°C - 50°C

Pressure 16 bar

Suitable for cold water

| | |
|------|------|
| Size | 3/4" |
|------|------|

| | |
|--------------------|------------------------|
| Q1 ISO 4064 (2005) | 0.05 m ³ /h |
|--------------------|------------------------|

| | |
|--------------------|---------------------|
| Q3 ISO 4064 (2005) | 4 m ³ /h |
|--------------------|---------------------|

| | |
|--------------------|---------------------|
| Q4 ISO 4064 (2005) | 5 m ³ /h |
|--------------------|---------------------|

| | |
|----|----|
| DN | 20 |
|----|----|

DIMENSIONS

| | |
|---|-------|
| H | 85 mm |
|---|-------|

| | |
|-----------------|-----|
| Install. length | 190 |
|-----------------|-----|

PRODUCT INFORMATION

Dry display water meter with magnetic transmission.
360° rotatable.
Can be mounted horizontally or vertically.

Last modified date: 24/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>