

**Foras Centrifugal pump cast
iron 2" x 1 1/4" female thread
11bar 15A 400/690VAC blue
type KB 750 T (0920279)**



TECHNICAL SPECIFICATIONS

Colour blue

Material cast iron

Material impeller 1 noryl

Connection female thread

Voltage 230/400VAC

Minimum medium temperature 0 °C
(continuous)

Maximum ambient temperature 40 °C

Minimum ambient temperature 0 °C

Type KB 750 T

Output Power 7.5 HP

Max. head 70 m

Size 2" x 1 1/4"

Seal type H

Length 605 mm

Max. temperature 90 °C

Width 275 mm

| | |
|----------------------------|----------------------|
| Weight | 78 kg |
| Power | 5.5 kW |
| Max flow rate | 30 m ³ /h |
| Press | 1 1/4 " |
| Suction | 2 " |
| BEP Capacity | 20 |
| BEP Head | 59 |
| Efficiency | 57 % |
| Packaging dimensions L/W/H | 675 x 300 x 390 mm |

DIMENSIONS

| | |
|------|---------|
| Cb-1 | 135 mm |
| Cl-1 | 95.5 mm |
| G-1 | 212 mm |
| H | 330 mm |
| H-1 | 330 mm |
| L | 605 mm |
| Mr | 145 mm |
| O | 14 mm |

W-1



275 mm

ØDi-1

2 "

ØDi-2

1 1/4 "



PRODUCT INFORMATION

Sealed motor protection class F.
Water temperature 90°C.
Supplied without cable.

Last modified date: 10/07/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>