Hunter Irrigation controller 24VAC white/blue type Pro-C 401-iE Indoor 4 stations (7026341)



Hunter®



TECHNICAL SPECIFICATIONS

Colour	white/blue
Туре	Pro-C
Voltage	24VAC
Height	229 mm
IP value	IP44
Туре	401-iE Indoor
Number of Stations	4

PRODUCT INFORMATION

Water several zones effectively with the Pro-C Water a lawn, industrial estate or town park efficiently and accurately, exactly as you want. That's what the Hunter Pro-C sprinkler computer has to offer. This system has two fixed models with six and twelve stations, allowing you to create different zones that can be controlled separately. It's never been so easy to manage effective irrigation. Like all the AC-powered Hunter controllers, the Pro-C carries the EPA WaterSense label when it is linked to the Solar Sync weather sensor. Specifications - Optional two-wire control. - Add several stations to the same compact Pro-C set. - The Pro-C version with conventional wiring has 4 to 23 stations. -The two-wire version has 28 stations. - The hybrid EZ decoder option has space for up to 32 stations. - Create several zones, each with its own irrigation program. Pro-C extras - Sensor inlet is available for use with Solar Sync® or another Clik sensor. - P/MV outlet for the pump start relay and activation of the main valve. - Includes the Solar Sync dial for smart water conservation. - Easy Retrieve® memory allows you to make manual back-ups and retrieve your preferred settings and programs. - QuickCheck ™ gives a straightforward diagnosis of faulty field wiring. - Three independent lighting programs for simultaneous sprinkling and lighting regulation.



Last modified date: 06/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

