

**Pressure pipe punched PE40 25  
mm x 1,8 mm plain 4bar white  
200m punched each 15cm  
(7024411)**



# TECHNICAL SPECIFICATIONS

|        |       |
|--------|-------|
| Colour | white |
|--------|-------|

|          |      |
|----------|------|
| Material | PE40 |
|----------|------|

|            |       |
|------------|-------|
| Connection | plain |
|------------|-------|

Maximum ambient temperature 35 °C

|          |       |
|----------|-------|
| Pressure | 4 bar |
|----------|-------|

|      |       |
|------|-------|
| Size | 25 mm |
|------|-------|

|        |       |
|--------|-------|
| Length | 200 m |
|--------|-------|

|         |         |
|---------|---------|
| Inner ø | 21,4 mm |
|---------|---------|

|         |       |
|---------|-------|
| Punched | 15 cm |
|---------|-------|

|                |        |
|----------------|--------|
| Wall thickness | 1,8 mm |
|----------------|--------|

## PRODUCT INFORMATION

Application: pre-punched LPDE is mainly used with button dripper or button dripper sets as well as micro sprinklers with barbed connections.

White LDPE: white colour is preferred as it reflect the light towards the crop which is beneficial for its growth, black LDPE on the other hand absorbs light but its more resistant to bacterial growth in the tube.

**Last modified date: 06/10/2025**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>