

**Profec Ball valve brass nickel plated 1 1/4" female thread x male thread 25bar type 104 VA (0403050)**



# TECHNICAL SPECIFICATIONS

|                   |                             |
|-------------------|-----------------------------|
| Type              | 104 VA                      |
| Material          | brass                       |
| Surface treatment | nickel plated               |
| Operation         | lever                       |
| Colour lever      | red                         |
| Handle material   | stainless steel             |
| Ball material     | hard chrome plated brass    |
| Material housing  | brass                       |
| Material seal     | PTFE                        |
| Connection        | female thread x male thread |
| Temperature range | -20°C - 120°C               |
| Pressure          | 25 bar                      |
| Size              | 1 1/4"                      |

## DIMENSIONS

|      |         |
|------|---------|
| Ct-1 | 74.8 mm |
| F-1  | 16 mm   |

F-2 16 mm

Lb 83,4 mm

R 126.3 mm

ØDf 30 mm

ØDi-2 1 1/4 "

ØDo-1 1 1/4 "



**Last modified date: 23/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>