

**NaanDan Micro sprinkler with
PES hose plastic 4/7 mm push-
in 1.05 mm 360° 60cm orange
type Smart Jet PC "J"-16 jets
(7020898)**



NaanDan
by Rivulis

TECHNICAL SPECIFICATIONS

Type	Smart Jet PC "J"-16 jets
Material	plastic
Connection	push-in
Sector adj. range	360°
Opening pressure	1.0 bar
Rec. press.	1.0 - 3.0 bar
Colour	orange
Capacity 2 bar	28 l/h
Capacity 1bar	28 l/h
Capacity 1,5bar	28 l/h
Capacity 2,5bar	28 l/h
Capacity 3bar	28 l/h
Size	4/7 mm
Length	60 cm
Nozzle size	1.05 mm
Radius 2bar	1,35 m

PRODUCT INFORMATION

Mounted upright, to be used on spike 34 (7020889).
Comes assembled with black 60cm PES tube with barbed connection.
Pressure compensated for constant flows between 1,0 - 3,0 bar.
"J" pattern is a full circle with 16 jets.
For fitting into PE pipe, punch a hole of 4mm.
Crop solution: apples, pears, hazelnuts, plums.

Last modified date: 21/01/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>