

**Rain Bird Spray head plastic**  
**5/8" UNC female thread 2,1bar**  
**90° brown type 12Q (7019406)**



**RAIN BIRD**

# TECHNICAL SPECIFICATIONS

Material	plastic
Suitable for	1800 & Uni-Spray series
Connection	UNC female thread
Pressure	2,1 bar
Rec. press.	1 - 2,1 bar
Colour	brown
Type	12Q
Capacity	0,10 - 0,15 m <sup>3</sup> /h
Capacity	1,7 - 2,5 l/min
Capacity 2 bar	150 l/h
Capacity 1bar	100 l/h
Capacity 1,5bar	120 l/h
Size	5/8"
Sector adj. range	90°
Angle	30 °
Radius	2,7 - 3,7 m
Radius 2bar	3,6 m

Radius 3bar

3,3 m

## PRODUCT INFORMATION

The Rain Bird MPR Spray heads are used with the 1800 & Uni-Spray series pop up in cases where sprinklers with various arcs and radius are to be used in the same zone and it is important to maintain even flows independent of the nozzle used.

Matched Precipitation Rates (MPR) means that you will get the same flow rate when nozzles are full circle, half circle or 1/4 circle hence improving the water distribution in your garden.

The top is coloured for easy radius and arc identification with the colour codes being: 5-MPR (red), 8-MPR (green), 10-MPR (blue), 12-MPR (brown) and 15-MPR (black).

**Last modified date: 09/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>