

**Profec Construction and  
industrial hose  
EPDM/polyester 100 mm Storz  
CD 133 10bar white 15m type  
110A (0503020)**



# TECHNICAL SPECIFICATIONS

Colour	white
Material	EPDM/polyester
Connection	Storz
Temperature range	-20°C - 80°C
Pressure	10 bar
Type	110A
Coping distance	133 CD
Size	100 mm
Length	15 m
Inner ø	100 mm
Wall thickness	1,5 mm

## DIMENSIONS

D	2"
---	----

## PRODUCT INFORMATION

Profec Construction and industrial hose fitted with Storz couplers is commonly used in industries and for construction purposes. This flat hose has an EPDM inner layer and an anti-abrasive polyester outer layer. The hose has a maximum working pressure of 10 bar at a temperature of 80 degrees. This flat hose is available from 52 to 100mm with matching aluminium Storz coupling and in roll lengths in a range of 5 meters to 30 meters.

**Last modified date: 24/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>