Profec Construction and industrial hose EPDM/polyester 100 mm Storz CD 133 10bar white 15m type 110A (0503020)



PROFEC

bosta
bringing water to life

TECHNICAL SPECIFICATIONS

Colour	white
Material	EPDM/polyester
Connection	Storz
Temperature range	-20°C - 80°C
Pressure	10 bar
Type	110A
Coping distance	133 CD
Size	100 mm
WebshopURL	https://www.bosta.com/en-gb/profec-construction-and-industrial-hose-epdm-polyester-100-mm-storz-cd-133-10bar-white-15m-type-110a-0503020
Length	15 m
Inner ø	100 mm
Wall thickness	1,5 mm

DIMENSIONS

D	2 "

PRODUCT INFORMATION

Profec Construction and industrial hose fitted with Storz couplers is commonly used in industries and for construction purposes. This flat hose has an EPDM inner layer and an anti-abrasive polyester outer layer. The hose has a maximum working pressure of 10 bar at a temperature of 80 degrees. This flat hose is available from 52 to 100mm with matching aluminium Storz coupling and in roll lengths in a range of 5 meters to 30 meters.

Last modified date: 31/10/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life