

**Flotide Pool pump 50 mm / 1
1/2" metric/imperial glue
socket 2,5A 230VAC black type
SS 050 with RCD plug (0950099)**



FLOTIDE

TECHNICAL SPECIFICATIONS

Colour	black
Shaft	stainless steel 316
Material seal	stainless steel 316
Connection	metric/imperial glue socket
Voltage	230VAC
Max. temperature	40 °C
Width	211 mm
Height	340 mm
Frequency	50 Hz
IP value	IPX5
Type	SS 050
Capacity	12,4 m ³ /h
Output Power	0,5 HP
Size	50 mm / 1 1/2"
Length	552 mm
Weight	8.03 kg
Power	0.38 kW

Ampere 2,5 A

Noise level 60 dB

BEP Capacity 10

BEP Head 4

DIMENSIONS

A 552 mm

B 211 mm

C 340 mm



PRODUCT INFORMATION

This pump is designed for medium sized domestic swimming pools. Low energy consumption, quiet running.

Features:

- Connection: metric / imperial glue socket

- Transparent lid for easy checking
- NSK bearing
- Insulation: Class B
- IP55 protection
- Built in thermal protection
- Supplied including metric & imperial unions
- Supplied with RCD differential plug
- UK / DIN plug included

Last modified date: 24/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>