Hayward Pool pump PP GF 50 mm glue socket 4,15A 230VAC black type RS II 30111 1HP (7017116)

HAYWARD

bosta
bringing water to life

TECHNICAL SPECIFICATIONS

Colour	black
Pump body	PP GF
Material impeller 1	Noryl
Material seal	stainless steel 304
Connection	glue socket
Max. temperature	35 °C
Width	234 mm
Height	305 mm
Frequency	50 Hz
IP value	IP55
Type	RS II 30111
Capacity	17 m^3/h
Output Power	1 HP
Size	50 mm
Length	569 mm
Voltage	230VAC
Weight	13.9 kg

Power	0.75 kW
Ampere	4,15 A
BEP Capacity	13.65
BEP Head	9.2





PRODUCT INFORMATION

Quiet, yet heavy-duty, the Hayward RS II pool pump delivers optimum filtration control and less need for cleaning thanks to the spacious filter-basket. The highly-efficient, German motor ensures smooth running and a reliable lifetime.

Features:

- Union connection: Glue socket 63 mm
- Salt water resistant to 0.4% (4gr/ltr)
- Exclusive by Bevo/Bosta
- 180 degrees rotatable box for convenient access
- Suitable for pools up to 100m^3

Last modified date: 21/08/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life