

NaanDan Drip irrigation hose
PE 16 mm x 1,0 mm 1,2ltr/h
30cm black 400m type PC Max
inline (7040220)



NaanDan
by Rivulis

TECHNICAL SPECIFICATIONS

| | |
|------------------|---------------|
| Colour | black |
| Type | PC Max inline |
| Material | PE |
| Opening pressure | 1.0 bar |
| Rec. press. | 0.5 - 3.5 bar |
| Flow | 1,2 ltr/h |
| Size | 16 mm |
| Length | 400 m |
| Inner ø | 14 mm |
| Dripper spacing | 30 cm |
| Wall thickness | 40 mil |
| Wall thickness | 1,0 mm |

PRODUCT INFORMATION

The Naan PC (Pressure Compensated) round dripper with 2 outlet holes gives the dripline additional strength against recoiling and resistance against clogging.

Pressure Regulating Range: 0.5 - 4.0 bar.

Recommended filtration: 130 micron.

Maximum Lateral Length at 0% slope.

Last modified date: 27/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>