

**Hunter Pop-up sprinkler plastic
3/4" female thread 1,4 - 7bar
50°-360° black type I-20-06-SS
Ultra riser stainless steel
(7032676)**



Hunter®

TECHNICAL SPECIFICATIONS

| | |
|-------------------|-------------------------------|
| Colour | black |
| Material | plastic |
| Capacity | 0,07 - 3,23 m ³ /h |
| Capacity | 1,2 - 53,8 l/min |
| Connection | female thread |
| Sector adj. range | 50°-360° |
| Angle | 25 ° |
| Max diameter | 28 m |
| Radius | 4,9 - 14 m |
| Pressure | 1,4 - 7 bar |
| Rec. press. | 1.7 - 4.5 bar |
| Type | I-20-06-SS |
| Size | 3/4" |
| Type | Ultra riser stainless steel |
| Riser height | 15 cm |

PRODUCT INFORMATION

FloStop control, check valves, and efficient nozzles that make I-20 a perfect choice in a wide range of applications. Adjustable arc from 50° to 360°.

Last modified date: 27/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>