

**NaanDan Drip irrigation hose**  
**PE 20 mm x 1,2 mm 1,5ltr/h**  
**20cm black 300m type PC Max**  
**inline (7040228)**



**NaanDan**  
by Rivulis

# TECHNICAL SPECIFICATIONS

Colour	black
Type	PC Max inline
Material	PE
Opening pressure	1.0 bar
Rec. press.	0.5 - 3.5 bar
Flow	1,5 ltr/h
Size	20 mm
Length	300 m
Inner ø	17,6 mm
Dripper spacing	20 cm
Wall thickness	47 mil
Wall thickness	1,2 mm

## PRODUCT INFORMATION

The Naan PC (Pressure Compensated) round dripper with 2 outlet holes gives the dripline additional strength against recoiling and resistance against clogging.

Pressure Regulating Range: 0.5 - 4.0 bar.

Recommended filtration: 130 micron.

Maximum Lateral Length at 0% slope.

**Last modified date: 11/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>