

Profec Blind flange steel DN32 DIN flange 16bar PN16 (1180253)



TECHNICAL SPECIFICATIONS

| | |
|----------|-------|
| Material | steel |
|----------|-------|

| | |
|------------|------------|
| Connection | DIN flange |
|------------|------------|

| | |
|--------------|----------|
| DIN Standard | DIN 2527 |
|--------------|----------|

| | |
|--------|------|
| Flange | PN16 |
|--------|------|

| | |
|----------|--------|
| Pressure | 16 bar |
|----------|--------|

| | |
|------|------|
| Size | DN32 |
|------|------|

| | |
|---------|--------|
| Outer ø | 140 mm |
|---------|--------|

| | |
|--------|---------|
| Weight | 1.81 kg |
|--------|---------|

| | |
|-----------|-------|
| Thickness | 16 mm |
|-----------|-------|

| | |
|-----|--------|
| PCD | 100 mm |
|-----|--------|

| | |
|-----------|-------|
| Bolt hole | 18 mm |
|-----------|-------|

| | |
|-------|---|
| Holes | 4 |
|-------|---|

DIMENSIONS

| | |
|---|-------|
| O | 18 mm |
|---|-------|

| | |
|-----|--------|
| PCD | 100 mm |
|-----|--------|



Last modified date: 14/03/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>