

Rain Bird Spray head plastic
5/8" UNC female thread 3,8bar
45°-270° purple type R-VAN24
(7019420)



RAIN BIRD

TECHNICAL SPECIFICATIONS

| | |
|-------------------|-------------------------|
| Material | plastic |
| Suitable for | 1800 & UNI-Spray series |
| Connection | UNC female thread |
| Sector adj. range | 45°-270° |
| Angle | 26 ° |
| Pressure | 3,8 bar |
| Rec. press. | 2.1 - 3,8 bar |
| Colour | purple |
| Type | R-VAN24 |
| Capacity | 2,27 - 10,90 l/min |
| Capacity 1.5bar | 140-550 l/h |
| Capacity 2.5bar | 180-730 l/h |
| Capacity 2bar | 170-680 l/h |
| Capacity 3bar | 210-830 l/h |
| Size | 5/8" |
| Radius | 5,8 - 7,3 m |
| Radius 3bar | 7 m |

PRODUCT INFORMATION

The Rain Bird Spray head, type R-VAN is used with the 1800 series pop up. We recommend this spray head for efficient irrigation and garden installation.

The R-VAN nozzle series matches the precipitation rate of the 5000 series equipped with MPR nozzles which allow installations and the layout calculations are designed to be much simpler. The R-VANs produce larger droplets and a thicker stream of water which allow them to have a high wind resistance therefore reducing water waste.

Not only the R-VANs are compatible with all the 1800 series pop ups but their performance and versatility is unmatched by reducing running times by over 33% and by having a full range of adjustable, full circle and strip nozzles that covers both large and small areas.

The top is coloured for easy radius and arc identification.

Last modified date: 09/03/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>