

**Sand filter fibreglass-  
reinforced PP 50 mm x 1 1/2"  
glue socket x female thread  
1,8bar grey type QS600 SM  
(7043154)**



# TECHNICAL SPECIFICATIONS


Colour	grey
Material	fibreglass-reinforced PP
Connection	glue socket x female thread
Pressure	1,8 bar
Max. temp.	40 °C
Type	QS600 SM
Capacity	16 m <sup>3</sup> /h
Size	50 mm x 1 1/2"
Diameter	652 mm
Weight	35 kg
Sand	120 kg
Filter area	0.33 m <sup>2</sup>
Max. pool vol.	90 m <sup>3</sup>

## DIMENSIONS

A	1022 mm
B	652 mm

C 474 mm

D 372 mm



## PRODUCT INFORMATION

The 2pcs style QS sand filter is ideal for all common larger sized private pools. The upper half of the filter can be completely removed which makes it extremely convenient for changing sand. With 40 years manufacture experience, QS filter delivers absolute premium quality.

Features:

- High quality fiberglass reinforced polyester filter tank and stainless steel ring
- Praher 6-way valve included
- Ideal for all common sizes of private pools
- UV resistant
- With air vent plug and drain plug

**Last modified date: 27/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>