# Foras Centrifugal pump cast iron 1 1/2" x 1 1/4" female thread 11bar 6.7A 230/400VAC blue type KB 400 T (0920277)



bosta
bringing water to life

# TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Colour | blue |
| Material | Cast iron |
| Material impeller 1 | Noryl |
| Connection | female thread |
| Voltage | 230/400VAC |
| Minimum medium temperature (continuous) | 0 °C |
| Maximum ambient temperature | 40 °C |
| Minimum ambient temperature | 0 °C |
| Type | KB 400 T |
| Output Power | 4 HP |
| Max. head | 63.6 m |
| Size | 1 1/2" x 1 1/4" |
| Seal | type C |
| WebshopURL | https://www.bosta.com/en-gb/foras-centrifugal-pump-cast-iron-1-1-2-x-1-1-4-female-thread-11bar-6.7a-230-400vac-blue-type-kb-400-t-0920277 |
| Length | 463 mm |

| | |
|---|---|
| Max. temperature | 50 °C |
| Width | 266 mm |
| Weight | 44 kg |
| Power | 3 kW |
| Max flow rate | 13.5 $m^3/h$ |
| Press | 1 1/4 " |
| Suction | 1 1/2 " |
| BEP Capacity | 10.5 |
| BEP Head | 47.8 |
| Efficiency | 42 % |
| Packaging dimensions L/W/H | 553 x 274 x 318 mm |

# DIMENSIONS

| | |
|---|---|
| Cb-1 | 135 mm |
| Cl-1 | 95.5 mm |
| G-1 | 212 mm |
| H | 305 mm |
| H-1 | 305 mm |
| L | 463 mm |

| | |
|---|---|
| Mr | 145 mm |
| O | 14 mm |
| W-1 | 266 mm |
| ØDi-1 | 1 1/2 " |
| ØDi-2 | 1 1/4 " |










# PRODUCT INFORMATION

Sealed motor protection class F.
Water temperature 90°C.
Supplied without cable.

## Last modified date: 31/10/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk

http://www.bosta.com

bosta
bringing water to life