

**Profec Ultrasonic water meter
stainless steel 304 DN300 DIN
flange 16bar 3.6V Li-battery
blue CE/MID type Class 2
(7043532)**



TECHNICAL SPECIFICATIONS

| | |
|--------------------|----------------------------------|
| Colour | blue |
| Type | Class 2 |
| Material | stainless steel 304 |
| Approval | CE/MID |
| Connection | DIN flange |
| Pulse | 100 ltr |
| Max. reading | 99999999.99999 m ³ /h |
| Connectivity | 2-wire puls & 2-wire Mbus output |
| Min. temp. | 0.1 °C |
| Voltage | 3.6V Li-battery |
| Pressure | 16 bar |
| IP value | IP68 |
| Max. temp. | 50 °C |
| Material flange | carbon steel |
| Size | DN300 |
| Q1 ISO 4064 (2005) | 2.5 m ³ /h |
| Q3 ISO 4064 (2005) | 1000 m ³ /h |

Q4 ISO 4064 (2005) 1250 m³/h

Length 500 mm

Width 445 mm

DIMENSIONS

H 575 mm

Install. length 450

Last modified date: 27/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>