

**Foras Jet pump cast iron 1"
female thread 7bar 3,2A
230VAC blue self priming type
JA 66 N (7034783)**



TECHNICAL SPECIFICATIONS

Colour blue

Material cast iron

Pump body cast iron

Model self priming

Connection female thread

Seal type A

Max. temperature 50 °C

Minimum medium temperature 0 °C
(continuous)

Press 1 "

Maximum ambient temperature 40 °C

Suction 1 "

Minimum ambient temperature 0 °C

Type JA 66 N

Material impeller 1 noryl

Size 1"

Voltage 230VAC

Power 0.44 kW

MWC 40,5

Ampere 3,2 A

Max flow rate 3.3 m³/h

BEP Capacity 2.4

BEP Head 21

PORlh 15.8

PORhh 40.5

PORlq 0.6

PORhq 3.3

DIMENSIONS

Cb-1 150 mm

Cb-1 150 mm

Cb-2 195 mm

Cl-1 119 mm

Cr-1 140 mm

Ct-1 45 mm

G-1 140 mm

H 185 mm

L 410 mm

L 410 mm

LB 214 mm

LM 196 mm

Mr 214 mm



MW 150 mm

W 180 mm

W-1 180 mm

ØDi-1 1 "

ØDi-2 1 "



PRODUCT INFORMATION

Pump will be supplied with cable and DIN plug.

Last modified date: 10/03/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>