

# Ebara Submersible pump stainless steel 1 1/4" female thread 5,8A 230VAC stainless steel type Best One with float switch (0930101)



# TECHNICAL SPECIFICATIONS

Colour stainless steel

Type Best One

Material stainless steel

Output Power 0,33 HP

Pump body stainless steel 304

Material impeller 1 stainless steel 304

Max. head 9 m

Connection female thread

Voltage 230VAC

Max. temperature 50 °C

Power 0.25 kW

Ampere 5,8 A

Max flow rate 10.2 m<sup>3</sup>/h

Press 1 1/4 "

Maximum ambient temperature 40 °C

Minimum ambient temperature 5 °C

Size 1 1/4"

Float

included

## DIMENSIONS

H-1 273 mm

H-2 231 mm

W-1 167 mm

## PRODUCT INFORMATION

Suitable for clean and light polluted water. With built in safety and 10 metre cable.

Maximum temperature: 50°C.

Maximum dirty pass: 10 mm, 20 mm for type Best One and Best One Vox.

**Last modified date: 24/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>