

Kripsol Pool pump 50 mm glue socket 3,2A 230VAC black type KSE 50 M 0.5HP (7009819)



KRIPSOL[®]

TECHNICAL SPECIFICATIONS

Colour	black
Pump body	PP GF
Material impeller 1	noryl
Material seal	stainless steel 316
Connection	glue socket
Max. temperature	50 °C
Frequency	50 Hz
IP value	IP55
Max working pressure	2,5 bar
Packaging dimensions L/W/H	650 x 255 x 330 mm
Motor RPM	2850
Type	KSE 50 M
Capacity	7,5 m ³ /h
Output Power	0,5 HP
Max. head	11 m
Size	50 mm
Length	550 mm

Voltage 230VAC

Weight 12.5 kg



Power 0.38 kW

Ampere 3,2 A

Noise level 59.6 dB

DIMENSIONS

A 550 mm



PRODUCT INFORMATION

The Kripsol Korall KSE is an optimised and super-silent pump which is suitable for residential pools up to 177 m³

Features:

- Connection: incl 50mm or 60mm slip unions
- Visibility internal prefilter, easy access
- Corrosion-resistant & Noryl impeller
- Double drain, easy opening
- Suitable for use in salt water

Last modified date: 26/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>