

**Profec Ultrasonic water meter  
cast iron DN80 DIN flange  
16bar 63m<sup>3</sup>/h blue MID type  
Class 2 (7021148)**



# TECHNICAL SPECIFICATIONS

Colour	blue
Type	Class 2
Material	cast iron
Approval	MID
Connection	DIN flange
Pressure	16 bar
IP value	IP68
Capacity	40 m <sup>3</sup> /h
Capacity Qmax	78.75 m <sup>3</sup> /h
Capacity Qn	63 m <sup>3</sup> /h
Size	DN80
Q1 ISO 4064 (2005)	0.25 m <sup>3</sup> /h
Q3 ISO 4064 (2005)	63 m <sup>3</sup> /h
Q4 ISO 4064 (2005)	78.75 m <sup>3</sup> /h
Max. reading	9999999.99999 m <sup>3</sup> /h
Length	225 mm
Diam.	3 "

PCD

160 mm

## DIMENSIONS

H 275 mm

Install. length 225

PCD 160 mm

## PRODUCT INFORMATION

Ultrasonic measurement without moving parts, guaranteeing a long life operation without wear and tear. Ultrasonic measurements allows this water meter to be installed in any position. Highly accurate at low flow rates. For liquids from 4 – 60°C  
2 way measurement.

**Last modified date: 09/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>