

Rain Bird Spray head plastic 5/8" UNC female thread 2,1bar grey type 15LCS (7019407)



RAIN BIRD

TECHNICAL SPECIFICATIONS

Colour	grey
Material	plastic
Suitable for	1800 & UNI-Spray series
Connection	UNC female thread
Angle	30 °
Pressure	2,1 bar
Rec. press.	1 - 2,1 bar
Type	15LCS
Capacity	0,08 - 0,11 m ³ /h
Capacity	1,3 - 1,9 l/min
Capacity 2 bar	110 l/h
Capacity 1bar	80 l/h
Capacity 1,5bar	90 l/h
Size	5/8"
Radius 2bar	1,2x4,5 m

PRODUCT INFORMATION

The Rain Bird Spray head, type MPR is used with the 1800 series pop up and is ideal for unique square areas that need strip irrigation.

The Strip Series has a 30° trajectory which is higher than the regular MPR nozzles.

The Strip Series are conformed by the following nozzles: the 15EST, 15CST, 15RCS, 15LCS, 15SST and 9SST.

Last modified date: 25/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>