

**Foras Centrifugal pump cast
iron 1 1/4" x 1" female thread
8bar 3,7A 230/400VAC blue
type KM 164 T (0920261)**



TECHNICAL SPECIFICATIONS

Colour	blue
Material	Cast iron
Material impeller 1	brass
Connection	female thread
Seal	type B
Max. temperature	90 °C
Minimum medium temperature 0 °C (continuous)	
Press	1 "
Maximum ambient temperature 40 °C	
Suction	1 1/4 "
Minimum ambient temperature 0 °C	
Type	KM 164 T
Output Power	2 HP
Max. head	39,4 m
Size	1 1/4" x 1"
Length	348 mm

Voltage	230/400VAC
Width	225 mm
Weight	22 kg
Power	15 kW
Height	285 mm
Max flow rate	6.6 m ³ /h
BEP Capacity	6.6
BEP Head	34
Efficiency	37 %
Packaging dimensions L/W/H	370 x 240 x 315 mm

DIMENSIONS



Cb-1	115 mm
Cl-1	46.5 mm
G-1	180 mm
H	285 mm
H	285 mm
L	348 mm
Lb	117 mm

W-1 220 mm

W-2 225 mm

ØDi-1 1 1/4 "

ØDi-2 1 "



PRODUCT INFORMATION

Mechanical seal.

Oversized self-lubricating bearings.

Sealed motor with external cooling.

Electrical winding Class F Condenser - thermo - amperometric safety (only in mono).

The maximum water temperature is 90°C.

Supplied without cable.

Last modified date: 21/08/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk

IP33 3TA

T +44 (0) 1284 716580

E enquiries@bosta.co.uk

<http://www.bosta.com>



bosta
bringing water to life