

**NaanDan Full circle sprinkler
plastic 1/2" male thread 3,5
mm blue type 6025 SD
(7019473)**



NaanDan
by Rivulis

TECHNICAL SPECIFICATIONS

Type 6025 SD

Material plastic

Connection male thread

Angle 25 °

Rec. press. 2,5 - 4 bar

Colour blue

Capacity 3bar 0,85 m³/h

Capacity 4bar 0,98 m³/h

Size 1/2"

Max diameter 25 m

Nozzle size 3,5 mm

Radius 3bar 12 m

Radius 4bar 12,5 m

| Type 6025 SD | | | | | | | | | | | | | | |
|--------------|------|----|-------|------|----|-------|------|----|-------|------|----|-------|------|----|
| 2.8mm | | | 3.0mm | | | 3.2mm | | | 3.5mm | | | 4.0mm | | |
| Bar | Q | Ø | Bar | Q | Ø | Bar | Q | Ø | Bar | Q | Ø | Bar | Q | Ø |
| 2.5 | 0.54 | 19 | 2.5 | 0.58 | 21 | 2.5 | 0.67 | 23 | 2.5 | 0.78 | 24 | 2.5 | 1.00 | 26 |
| 3.0 | 0.60 | 21 | 3.0 | 0.64 | 23 | 3.0 | 0.73 | 25 | 3.0 | 0.85 | 24 | 3.0 | 1.10 | 26 |
| 3.5 | 0.64 | 21 | 3.5 | 0.69 | 23 | 3.5 | 0.79 | 24 | 3.5 | 0.92 | 24 | 3.5 | 1.18 | 27 |

PRODUCT INFORMATION

The special arched water path provides longer throw and the unique hammer with SD (super diffusor) plate generates perfect uniformity.

Last modified date: 09/03/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>