

**Profec Water meter nylon 1  
1/2" male thread 16bar 0,1A  
DN32 24V black CE/MID MD-AP  
type Nylon multi jet horizontal  
with pulse option (7025227)**



# TECHNICAL SPECIFICATIONS

Colour black

Type Nylon multi jet

Material nylon

Approval CE/MID

Model MD-AP

Connection male thread

Pulse option 10 ltr

Type horizontal with pulse option

Min. reading 0.00005 m<sup>3</sup>/h

Max. reading 99.999 m<sup>3</sup>/h

Voltage 24V

Pressure 16 bar

Max. temp. 50 °C

DN 1 1/4 "

Size 1 1/2"

Q1 ISO 4064 (2005) 0.13 m<sup>3</sup>/h

Q3 ISO 4064 (2005) 10 m<sup>3</sup>/h

Q4 ISO 4064 (2005)	12.5 m <sup>3</sup> /h
--------------------	------------------------

Length	230 mm
--------	--------

DN	32
----	----

Width	104 mm
-------	--------

Diam.	1 1/4 "
-------	---------

## DIMENSIONS

H	117 mm
---	--------

Install. length	230
-----------------	-----

## PRODUCT INFORMATION

This water meter meets the standards ISO 4064-2005 and EN 14154. The nylon water meter is supplied with plastic couplings. The nylon housing improves chemical resistance and increases the price/quality ratio.

**Last modified date: 09/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>