# Foras Centrifugal pump cast iron 1 1/4" x 1" female thread 8bar 10,4A 230VAC blue type KM 214 M (0920258)



FORAS WATER PUMPS

bosta
bringing water to life

# TECHNICAL SPECIFICATIONS


| | |
|---|---|
| Colour | blue |
| Material | Cast iron |
| Material impeller 1 | brass |
| Connection | female thread |
| Seal | type B |
| Max. temperature | 90 °C |
| Minimum medium temperature (continuous) | 0 °C |
| Press | 1 " |
| Maximum ambient temperature | 40 °C |
| Suction | 1 1/4 " |
| Minimum ambient temperature | 0 °C |
| Type | KM 214 M |
| Output Power | 2,5 HP |
| Max. head | 46,3 m |
| Size | 1 1/4" x 1" |
| Length | 348 mm |

| | |
|---|---|
| Voltage | 230VAC |
| Width | 225 mm |
| Weight | 24 kg |
| Power | 185 kW |
| Height | 285 mm |
| Max flow rate | 7.2 $m^3/h$ |
| BEP Capacity | 7.2 |
| BEP Head | 33 |
| Efficiency | 40 % |
| Packaging dimensions L/W/H | 370 x 240 x 315 mm |

# DIMENSIONS


| | |
|---|---|
| Cb-1 | 115 mm |
| Cl-1 | 46.5 mm |
| G-1 | 180 mm |
| H | 285 mm |
| H | 285 mm |
| L | 348 mm |
| Lb | 117 mm |

| | |
|---|---|
| W-1 | 220 mm |
| W-2 | 225 mm |
| ØDi-1 | 1 1/4 " |
| ØDi-2 | 1 " |










# PRODUCT INFORMATION

Mechanical seal.
Oversized self-lubricating bearings.
Sealed motor with external cooling.
Electrical winding Class F Condenser - thermo - amperometric safety (only in mono).
The maximum water temperature is 90°C.
Supplied without cable.

## Last modified date: 21/08/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk

IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

bosta
bringing water to life