

Flotide Sacrificial anode ABS 63 mm glue socket 19cm white (7027084)



FLOTIDE



bosta
bringing water to life

TECHNICAL SPECIFICATIONS

| | |
|--------|-------|
| Colour | white |
|--------|-------|

| | |
|----------|-----|
| Material | ABS |
|----------|-----|

| | |
|------------|-------------|
| Connection | glue socket |
|------------|-------------|

| | |
|------|-------|
| Size | 63 mm |
|------|-------|

| | |
|--------|-------|
| Length | 19 cm |
|--------|-------|

PRODUCT INFORMATION

Flotide zinc sacrificial anode protects bathers from the risk of electric shocks, especially for fibreglass pools without metal bonding.

It also prevents electrolytic corrosion of metal pool components when a salt water chlorinator disinfection system is used.

Features:

- Easy installation
- Prevents electrolytic corrosion of metal pool components
- Excellent electric shock protection for all pools, especially fibreglass
- Max. 4 bar working pressure
- Long life cycle pure zinc alloy
- 1 m 8 AWG solid copper wire
- Transparent lid for easy observation

Last modified date: 10/03/2026

Bosta UK Ltd.
Reflection House

Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>