


**Foras Multi-stage centrifugal  
pump cast iron 1" female  
thread 11bar 6,1A 230VAC  
blue type MON120 5A  
(0920243)**



# TECHNICAL SPECIFICATIONS

Colour	blue
Type	MON120 5A
Material	cast iron
Pump body	cast iron
Material impeller 1	noryl
Material seal	ceramic/graphite
Connection	female thread
Seal	type D
Voltage	230VAC
Press	1 "
Suction	1 "
Output Power	1,2 HP
Max. head	56 m
Size	1"
Max. temperature	50 °C
Weight	16 kg

Minimum medium temperature 0 °C  
(continuous)

Power 0.88 kW

Impellers 5

Ampere 6,1 A

Max flow rate 4.8 m<sup>3</sup>/h

BEP Capacity 3.4

BEP Head 47

Packaging dimensions L/W/H 500 x 200 x 215 mm

## DIMENSIONS

Cb-1 150 mm

Cl-1 264 mm

G-1 140 mm

H-1 185 mm

H-2 175 mm



L 475 mm

Lb 295 mm

W-1 180 mm

ØDi-1 1 "

ØDi-2 1 "



## PRODUCT INFORMATION

Stainless steel multistage horizontal pumps. Pumping of clean non-loaded fluids in the domestic, agricultural and industrial sectors; pressurising systems; irrigation; drinking and glycol water; water treatment; food industry; heating and air conditioning; washing system.

Maximum liquid temperature: from -15 up to 110 °C

Ambient temperature: max 40 °C.

Insulation class F; protection IP 44.

Supplied without cable.

**Last modified date: 08/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>