

**Foras Submersible pump
stainless steel 1 1/2" female
thread 6,2A 230VAC grey type
DS 100 G set-back Vortex with
float switch (7006439)**



TECHNICAL SPECIFICATIONS

Colour	grey
Material	stainless steel
Pump body	stainless steel
Material impeller 1	stainless steel
Connection	female thread
Type	set-back Vortex
Voltage	230VAC
Max. temperature	40 °C
Minimum medium temperature (continuous)	0 °C
Press	2 "
Maximum ambient temperature	40 °C
Minimum ambient temperature	5 °C
Type	DS 100 G
Size	1 1/2"
Float	included
Power	1.35 kW

MWC	9.8
-----	-----

Ampere	6,2 A
--------	-------

Max flow rate	18 m ³ /h
---------------	----------------------

DIMENSIONS

H-1	395 mm
-----	--------

W-1	183 mm
-----	--------

PRODUCT INFORMATION

2 pole induction motor with thermal protection. Max. Depth of immersion: 5m Includes 10m cable H07 RNF.

Last modified date: 08/03/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>