

**Profec Water meter brass  
nickel plated 3/4" male thread  
10bar 0,1A 1.5m<sup>3</sup>/h 24V  
CE/MID type single jet  
(0892313)**



# TECHNICAL SPECIFICATIONS

Type single jet

Material brass

Surface treatment nickel plated

Approval CE/MID

Capacity Qmax 3 m<sup>3</sup>/h

Capacity Qn 1.5 m<sup>3</sup>/h

Connection male thread

Min. reading 0.00005 m<sup>3</sup>/h

Max. reading 9.999 m<sup>3</sup>/h

Voltage 24V

Temperature range 2°C - 90°C

Pressure 10 bar

Suitable for hot water

Size 3/4"

Q1 ISO 4064 (2005) 0.03 m<sup>3</sup>/h

Q3 ISO 4064 (2005) 2.5 m<sup>3</sup>/h

Q4 ISO 4064 (2005) 3.1 m<sup>3</sup>/h

Length 110 mm

Width 77 mm

## DIMENSIONS

H 85 mm

## PRODUCT INFORMATION

Dry display water meter with magnetic transmission.  
360° rotatable.  
Can be mounted horizontally or vertically.

**Last modified date: 25/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>