


**Break tank 3/4" x 1" male
thread 230VAC BELGAQUA
type Hydrobox 500 with E-Tech
VN5/7T & Logic STP 8.5
(7023568)**



TECHNICAL SPECIFICATIONS

Type	Hydrobox 500 with E-Tech VN5/7T & Logic STP 8.5
------	---

Approval	BELGAQUA
----------	----------

Tank	500 ltr
------	---------

Connection	male thread
------------	-------------

Maximum flow	125 ltr/min
--------------	-------------

Voltage	230VAC
---------	--------

Pump	E-tech VN 5/7 T
------	-----------------

Max working pressure	7 bar
----------------------	-------

Capacity Pressure	5 m ³ /h @ 5,5 bar
-------------------	-------------------------------

Control Unit Pump	Logic STP 8.5
-------------------	---------------

Variable Speed	Yes
----------------	-----

Size	3/4" x 1"
------	-----------

PRODUCT INFORMATION

Large break tank with 500l capacity suitable for floor Installation Flow rate: 5 - 7 m³/h Operating Pressure: 3 - 5 bar ON/OFF system integrated with dry running protector Provided with Multi - Impeller Submersible Pump with Pressure Controller Two brass drain taps at the bottom of tank (1 1/4" & 1 1/2") and one on the sides (2") Material Tank: PE

Last modified date: 07/10/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>