Rain Bird Spray head plastic 5/8" UNC female thread 3,8bar 360° purple type R-VAN24-360 (7019422)



RAIN BIRD



TECHNICAL SPECIFICATIONS

Suitable for 1800 & UNI-Spray series Connection UNC female thread Angle 26 ° Pressure 3,8 bar Rec. press. 2.1-3,8 bar Colour purple Type R-VAN24-360 Capacity 8,90 - 14,16 l/min Capacity 2 bar 680 l/h Capacity 3bar 830 l/h	Material	plastic
Angle 26° Pressure 3,8 bar Rec. press. 2.1- 3,8 bar Colour purple Type R-VAN24-360 Capacity 8,90 - 14,16 l/min Capacity 2 bar 680 l/h Capacity 3bar 830 l/h	Suitable for	1800 & UNI-Spray series
Pressure 3,8 bar Rec. press. 2.1- 3,8 bar Colour purple Type R-VAN24-360 Capacity 8,90 - 14,16 l/min Capacity 2 bar 680 l/h Capacity 3bar 830 l/h	Connection	UNC female thread
Rec. press. 2.1- 3,8 bar Colour purple Type R-VAN24-360 Capacity 8,90 - 14,16 l/min Capacity 2 bar 680 l/h Capacity 3bar 830 l/h	Angle	26 °
Colour purple Type R-VAN24-360 Capacity 8,90 - 14,16 l/min Capacity 2 bar 680 l/h Capacity 3bar 830 l/h	Pressure	3,8 bar
Type R-VAN24-360 Capacity 8,90 - 14,16 l/min Capacity 2 bar 680 l/h Capacity 3bar 830 l/h	Rec. press.	2.1- 3,8 bar
Capacity 8,90 - 14,16 l/min Capacity 2 bar 680 l/h Capacity 3bar 830 l/h	Colour	purple
Capacity 2 bar 680 l/h Capacity 3bar 830 l/h	Туре	R-VAN24-360
Capacity 3bar 830 l/h	Capacity	8,90 - 14,16 l/min
	Capacity 2 bar	680 l/h
Size 5/8"	Capacity 3bar	830 l/h
3,0	Size	5/8"
Sector adj. range 360°	Sector adj. range	360°
Radius 5,8 - 7,3 m	Radius	5,8 - 7,3 m
Radius 3bar 7 m	Radius 3bar	7 m



PRODUCT INFORMATION

The Rain Bird Spray head, type R-VAN is used with the 1800 series pop up. We recommend this spray head for efficient irrigation and garden installation.

The R-VAN nozzle series matches the precipitation rate of the 5000 series equipped with MPR nozzles which allow installations and the layout calculations are designed to be much simpler. The R-VANs produce larger droplets and a thicker stream of water which allow them to have a high wind resistance therefore reducing water waste.

Not only the R-VANs are compatible with all the 1800 series pop ups but their performance and versatility is unmatched by reducing running times by over 33% and by having a full range of adjustable, full circle and strip nozzles that covers both large and small areas. The top is coloured for easy radius and arc identification.

Last modified date: 04/12/2025

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com

