

Grundfos Variable speed circulation pump stainless steel 1 1/2" male thread 0.44A 230VAC black/red WRAS type Alpha2 25-80 N (180) (7042298)



GRUNDFOS 

TECHNICAL SPECIFICATIONS

Colour	black/red
--------	-----------

Material	stainless steel
----------	-----------------

Approval	WRAS
----------	------

Pump body	stainless steel
-----------	-----------------

Material impeller 1	fibreglass-reinforced PES
---------------------	---------------------------

Connection	male thread
------------	-------------

Voltage	230VAC
---------	--------

Max. temperature	110 °C
------------------	--------

Minimum medium temperature (continuous)	-15 °C
---	--------

Impellers	1
-----------	---

Frequency	50 Hz
-----------	-------

Maximum ambient temperature 40 °C

Minimum ambient temperature	0 °C
-----------------------------	------


Type	Alpha2 25-80 N (180)
------	----------------------

Max. head	8 m
-----------	-----

Size	1 1/2"
------	--------

Ampere

0.44 A



Last modified date: 27/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>