

**Grundfos Variable speed
circulation pump cast iron 1" x
1 1/2" male thread 10bar 0.78A
230VAC black/red WRAS type
Alpha2 GO 15-90 (130)
(7046898)**



GRUNDFOS® 

TECHNICAL SPECIFICATIONS

Colour	black/red
--------	-----------

Material	cast iron
----------	-----------

Approval	WRAS
----------	------

Pump body	cast iron
-----------	-----------

Material impeller 1	composite
---------------------	-----------

Connection	male thread
------------	-------------

Voltage	230VAC
---------	--------

Max. temperature	110 °C
------------------	--------

Minimum medium temperature (continuous)	-15 °C
---	--------

Impellers	1
-----------	---

Frequency	50 Hz
-----------	-------

Maximum ambient temperature 55 °C

Pressure	10 bar
----------	--------

Minimum ambient temperature 0 °C

Type	Alpha2 GO 15-90 (130)
------	-----------------------

Capacity	2.7 m ³ /h
----------	-----------------------

Max. head	6.14 m
-----------	--------

Size	1" x 1 1/2"
------	-------------

Ampere	0.78 A
--------	--------

Last modified date: 28/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>