

**Ebara Centrifugal pump  
stainless steel 304 1 1/2" x 1"  
female thread 8bar 6,1A  
230VAC blue type  
CDXM200/12 (0930207)**



# TECHNICAL SPECIFICATIONS

Colour blue

Material stainless steel 304

Material impeller 1 stainless steel 304

Connection female thread

Seal type P

Voltage 230VAC

Max. temperature 90 °C

Minimum medium temperature -5 °C  
(continuous)

Press 1 "

Type CDXM200/12

Output Power 1,2 HP

Max. head 22,8 m

Size 1 1/2" x 1"

Length 321 mm

Width 208 mm

Weight 11.4 kg

Power 0.9 kW

Height 229.5 mm

Max flow rate 15 m<sup>3</sup>/h

Suction 1 1/2 "

Packaging dimensions L/W/H 452 x 244 x 308 mm



## PRODUCT INFORMATION

### Applications:

Domestic: booster systems, garden irrigation, water supply systems

Industry: cooling towers, heat exchangers, cleaning systems

Agriculture / horticulture

Irrigation

### Technical characteristics:

The pump body is pressed with the plasma-press system from S/S 304.

The pump fan, with upright welded blades, is produced from S/S 304.

Motor casing is aluminium.

**Last modified date: 08/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>