# Profec Water meter cast iron DN125 DIN flange 16bar 100m³/h blue LXLC(R) type Woltman horizontal (7021133)

PROFEC

bosta
bringing water to life

# TECHNICAL SPECIFICATIONS

| | |
|---|---|
| Colour | blue |
| Type | Woltman |
| Material | Cast iron |
| Model | LXLC(R) |
| Material flange | Cast iron |
| Material seal | rubber reinforced with nylon |
| Connection | DIN flange |
| Type | horizontal |
| Max. reading | 999.999 $m^3/h$ |
| Temperature range | 0°C - 40°C |
| Pressure | 16 bar |
| Capacity | 160 $m^3/h$ |
| Capacity Qmax | 200 $m^3/h$ |
| Capacity Qn | 100 $m^3/h$ |
| Size | DN125 |
| Q1 ISO 4064 (2005) | 3.1 $m^3/h$ |
| Q3 ISO 4064 (2005) | 160 $m^3/h$ |

| | |
|---|---|
| Q4 ISO 4064 (2005) | 312.5 $m^3/h$ |
| Min. reading | 0.002 $m^3/h$ |
| Length | 250 mm |
| Diam. | 5 " |
| PCD | 210 mm |

# DIMENSIONS

| | |
|---|---|
| H | 299 mm |
| Install. length | 250 |
| PCD | 210 mm |

## Last modified date: 21/08/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
http://www.bosta.com