

**Rain Bird Spray head plastic**  
**5/8" UNC female thread 3,8bar**  
**45°-270° brown type R-VAN18**  
**(7019419)**



**RAIN BIRD**

# TECHNICAL SPECIFICATIONS

Material	plastic
Suitable for	1800 & UNI-Spray series
Connection	UNC female thread
Sector adj. range	45°-270°
Angle	26 °
Pressure	3,8 bar
Rec. press.	2.1 - 3,8 bar
Colour	brown
Type	R-VAN18
Capacity	1,59 - 6,13 l/min
Capacity 1.5bar	70-290 l/h
Capacity 2.5bar	100-390 l/h
Capacity 2bar	90-360 l/h
Capacity 3bar	110-440 l/h
Size	5/8"
Radius	4,9 - 5,5 m
Radius 3bar	5,3 m

# PRODUCT INFORMATION

The Rain Bird Spray head, type R-VAN is used with the 1800 series pop up. We recommend this spray head for efficient irrigation and garden installation.

The R-VAN nozzle series matches the precipitation rate of the 5000 series equipped with MPR nozzles which allow installations and the layout calculations are designed to be much simpler. The R-VANs produce larger droplets and a thicker stream of water which allow them to have a high wind resistance therefore reducing water waste.

Not only the R-VANs are compatible with all the 1800 series pop ups but their performance and versatility is unmatched by reducing running times by over 33% and by having a full range of adjustable, full circle and strip nozzles that covers both large and small areas.

The top is coloured for easy radius and arc identification.

**Last modified date: 09/03/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road  
Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>