

# DAB Jet pump cast iron 1" female thread 6bar 5,1A 230VAC green self-priming with press control type JET 102 Control D (7030929)



**DAB**  
MAKING WATER EASY

# TECHNICAL SPECIFICATIONS

Colour green

Material cast iron

Pump body cast iron

Material impeller 1 technopolymer A

Model self-priming with press control

Connection female thread

Voltage 230VAC

Max. temperature 35 °C

Minimum medium temperature 0 °C  
(continuous)

Press 1 "

Maximum ambient temperature 40 °C

Suction 1 "

Type JET 102 Control D

Max. head 53,8 m

Size 1"

Power 0.75 kW

Ampere	5,1 A
Max flow rate	3.6 m <sup>3</sup> /h
BEP Capacity	2.4
BEP Head	31.8
PORlh	36.5
PORhh	29
PORlq	1.7
PORhq	2.9

## DIMENSIONS



Cb-1	144 mm
Cl-1	108 mm
G-1	111 mm
H	203 mm
H	203 mm
L	414 mm
L	430 mm
Mr	197 mm
O	9 mm

W 178 mm

W-1 178 mm

ØDi-1 1 "

ØDi-2 1 "



## PRODUCT INFORMATION

Installation: Horizontal, Fixed. Operating range: from 0.4 to 3.6 m<sup>3</sup>/h with head up to 53 metres. Suitable for pumping water with low levels of sand impurities. Self priming centrifugal pumps with excellent suction capacity even when air bubbles are present.

**Last modified date: 26/05/2026**

Bosta UK Ltd.  
Reflection House  
Olding Road

Bury St. Edmunds  
Suffolk  
IP33 3TA  
T +44 (0) 1284 716580  
E [enquiries@bosta.co.uk](mailto:enquiries@bosta.co.uk)  
<http://www.bosta.com>