

Rain Bird Spray head plastic
5/8" UNC female thread 2,1bar
180° blue type 10H (7019403)



RAIN BIRD

TECHNICAL SPECIFICATIONS

| | |
|-------------------|-------------------------------|
| Material | plastic |
| Suitable for | 1800 & Uni-Spray series |
| Connection | UNC female thread |
| Pressure | 2,1 bar |
| Rec. press. | 1 - 2,1 bar |
| Colour | blue |
| Type | 10H |
| Capacity | 0,13 - 0,18 m ³ /h |
| Capacity | 2,4 - 3,0 l/min |
| Capacity 2 bar | 180 l/h |
| Capacity 1bar | 130 l/h |
| Capacity 1,5bar | 140 l/h |
| Size | 5/8" |
| Sector adj. range | 180° |
| Angle | 15 ° |
| Radius | 2,1 - 3,1 m |
| Radius 2bar | 3 m |

Radius 3bar

3,3 m

PRODUCT INFORMATION

The Rain Bird MPR Spray heads are used with the 1800 & Uni-Spray series pop up in cases where sprinklers with various arcs and radius are to be used in the same zone and it is important to maintain even flows independent of the nozzle used.

Matched Precipitation Rates (MPR) means that you will get the same flow rate when nozzles are full circle, half circle or 1/4 circle hence improving the water distribution in your garden.

The top is coloured for easy radius and arc identification with the colour codes being: 5-MPR (red), 8-MPR (green), 10-MPR (blue), 12-MPR (brown) and 15-MPR (black).

Last modified date: 25/05/2026

Bosta UK Ltd.
Reflection House
Olding Road
Bury St. Edmunds
Suffolk
IP33 3TA
T +44 (0) 1284 716580
E enquiries@bosta.co.uk
<http://www.bosta.com>